



# Safety Data Sheet

Version: 2  
Revision Date: 3/22/2023

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

**Product identifier.** 115970 /  
**Product name.** Thermo 55 Cherry  
**UFI** UGPF-6060-800R-19F3

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Recommended Use.** Professional Deodorizer  
**Uses advised against.** Professional Use Only

### 1.3. Details of the supplier of the safety data sheet

**Supplier.** Legend Brands  
15180 Josh Wilson Road  
Burlington, WA 98233  
E-Mail: sds@legendbrands.com  
800-932-3030

Legend Brands Europe  
22 Plover Close Interchange Park  
Newport Pagnell MK069PS UK  
+44 (0) 1908 611211

Rust-Oleum Europe  
Kolenbergstraat 23  
3545 Halen, Belgium  
+32 (0)13 460 200

**1.4. Emergency telephone number** INFOTRAC 1-800-535-5053 (North America)  
+1-352-323-3500 (International)

**Europe** 112  
**Austria** +43 1 406 43 43  
**Belgium** Poison center (BE): +32 70 245 245  
**Denmark** Poison Control Hotline (DK): +45 82 12 12 12  
**Finland** Poison Information Centre (FI): +358 9 471 977  
**France** ORFILA (FR): + 01 45 42 59 59  
**Germany** Poison Center Berlin (DE): +49 030 30686 790 | par Poison Center Nord: +49 551 19240  
(24h available English / German)  
**Ireland** National Poisons Information Centre (IE): +353 1 8379964 / + 353 1 8092566  
**Iceland** +354 543 2222  
**Italy** Poison Center, Milan (IT): +39 02 6610 1029  
**Luxembourg** 112  
**Netherlands** National Poisons Information Center (NL): +31 88 755 8000 (NB: this service is only available to health professionals)  
**Norway** Poisons Information (NO): + 47 22 591300  
**Portugal** Poison Information Center (PT): +351 800 250 250  
**Spain** Poison Information Service (ES): +34 91 562 04 20  
**Sweden** Poisons Information Center (SV): +46 8 33 12 31  
**Switzerland** Poison Center: Tel 145; +41 44 251 51 51  
**United Kingdom** 111 / 0300 020 0155

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

Aspiration Hazard, category 1  
Skin drying or cracking

## 2.2. Label elements



## Signal Word

Danger

## Hazardous ingredients which must be listed on the label

Contains

Distillates, petroleum, hydrotreated light

## Possible Hazards

1.6% of the mixture consists of ingredient(s) of unknown toxicity

1.6% of the mixture consists of ingredient(s) of unknown acute dermal toxicity

1.6% of the mixture consists of ingredient(s) of unknown acute inhalation toxicity

## GHS HAZARD STATEMENTS

H304 May be fatal if swallowed and enters airways.

EUH066 Repeated exposure may cause skin dryness or cracking.

## GHS LABEL PRECAUTIONARY STATEMENTS

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

P331 Do NOT induce vomiting.

P405 Store locked up.

P501 Dispose of contents/container to an approved waste disposal plant.

## 2.3. Other hazards

EMERGENCY OVERVIEW: No Information

## SECTION 3: Composition/information on ingredients

## 3.1. Substances

This product is a mixture. Health hazard information is based on its components.

## 3.2. Mixtures

Chemical Name	CAS-No.	EC No.	REACH Reg No.	Wt. %
Distillates, petroleum, hydrotreated light	64742-47-8	265-149-8	01-2119484819-18-XXXX	>=80 - <100
BENZALDEHYDE	100-52-7	202-860-4	No Information	>=1 - <5
AMYL ACETATE	628-63-7	211-047-3	No Information	>=1 - <3
2-METHYLBUTYL ACETATE	624-41-9	210-843-8	No Information	<1
D-limonene	5989-27-5	227-813-5	No Information	<0.1
Ethyl Acetate	141-78-6	205-500-4	No Information	<1

Chemical Name	Classification (1272/2008/EC)	Specific Conc. Limits, M-factors and ATEs
Distillates, petroleum, hydrotreated light	Asp. Tox. 1 (H304)	ATE oral (mg/kg): N.R. ATE dermal (mg/kg): N.R. ATE inhalation - vapor (mg/l/4h): N.R. ATE inhalation - dust/mist (mg/l/4h): N.R.
BENZALDEHYDE	Acute Tox. 4 Oral (H302) Acute Tox. 4 Dermal (H312)	ATE oral (mg/kg): 1292 mg/kg Rat ATE dermal (mg/kg): >1250 mg/kg Rabbit ATE inhalation - vapor (mg/l/4h): N.R. ATE inhalation - dust/mist (mg/l/4h): N.R.
AMYL ACETATE	EUH066 Flam. Liq. 3 (H226)	ATE oral (mg/kg): 6500 mg/kg Rat ATE inhalation - dust/mist (mg/l/4h): N.R.
2-METHYLBUTYL ACETATE	Not classified	ATE inhalation - dust/mist (mg/l/4h): N.R.

D-limonene	Flam. Liq. 3 (H226) Asp. Tox. 1 (H304) Skin Irrit. 2 (H315) Skin Sens. 1B (H317) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)	ATE oral (mg/kg): 5200 mg/kg, 4400 mg/kg Rat ATE dermal (mg/kg): >5000 mg/kg Rabbit M-Factors: 1
Ethyl Acetate	EUH066 Flam. Liq. 2 (H225) Eye Irrit. 2 (H319) STOT SE 3 NE (H336)	ATE oral (mg/kg): 5620 mg/kg Rat ATE dermal (mg/kg): >18000 mg/kg Rabbit ATE inhalation - vapor (mg/l/4h): N.R. ATE inhalation - dust/mist (mg/l/4h): N.R.

For the full text of the H-Statements mentioned in this Section, see Section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### General advice.

Call a physician if irritation develops or persists. Show this safety data sheet to the doctor in attendance. When symptoms persist or in all cases of doubt seek medical advice.

#### Inhalation.

Move to fresh air. If symptoms persist, call a physician. If not breathing, give artificial respiration.

#### Skin contact.

If skin irritation persists, call a physician. Wash off immediately with soap and plenty of water. Remove all contaminated clothes and shoes.

#### Eye contact.

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Call a physician if irritation develops or persists. Remove contact lenses, if present.

#### Ingestion.

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a physician immediately. Gently wipe or rinse the inside of the mouth with water.

### 4.2. Most important symptoms and effects, both acute and delayed

#### Symptoms.

See Section 2.2, Label Elements and/or Section 11, Toxicological effects.

### 4.3. Indication of any immediate medical attention and special treatment needed

#### Notes to physician.

Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

#### Suitable extinguishing media.

Water spray. Foam. Dry powder. Dry chemical. Alcohol-resistant foam. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Carbon dioxide (CO<sub>2</sub>).

#### Extinguishing media which shall not be used for safety reasons.

High volume water jet.

### 5.2. Special hazards arising from the substance or mixture

Flash back possible over considerable distance. Hazardous decomposition products formed under fire conditions.

### 5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

Remove all sources of ignition. Use personal protection recommended in Section 8.

As in any fire, wear self-contained breathing apparatus and full protective gear.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### Personal precautions.

Avoid contact with skin, eyes and clothing. Ensure adequate ventilation, especially in confined areas. Do not breathe vapors or spray mist.

#### Advice for emergency responders.

Remove all sources of ignition. Use personal protection recommended in Section 8.

### 6.2. Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not allow material to contaminate ground water system. Prevent product from entering drains. See Section 12 for additional Ecological information.

### 6.3. Methods and material for containment and cleaning up

#### Methods for Containment.

Prevent further leakage or spillage if safe to do so. Pick up and transfer to properly labeled containers. Use personal protective equipment. Remove all sources of ignition.

#### Methods for cleaning up.

Use personal protective equipment as required.

#### Other information.

No Information

### 6.4. Reference to other sections

No Information

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

#### Advice on safe handling.

Handle in accordance with good industrial hygiene and safety practice. Keep away from sources of ignition - No smoking.

#### Hygiene measures.

See section 7 for more information.

### 7.2. Conditions for safe storage, including any incompatibilities

#### Storage Conditions.

Keep containers tightly closed in a cool, well-ventilated place. Store in original container.

### 7.3. Specific end use(s)

#### Specific use(s).

No Information

#### Exposure scenario.

No Information Available

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### Exposure Limit Values

Chemical Name	Austria	Belgium	Denmark	European Union.	Finland	France
Distillates, petroleum, hydrotreated light 64742-47-8	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
BENZALDEHYD E 100-52-7	N.D.	N.D.	N.D.	N.D.	TWA: 1 ppm TWA: 4.4 mg/m <sup>3</sup>	N.D.
AMYL ACETATE 628-63-7	STEL: 100 ppm STEL: 540 mg/m <sup>3</sup> TWA: 50 ppm TWA: 270 mg/m <sup>3</sup>	STEL: 100 ppm STEL: 540 mg/m <sup>3</sup> TWA: 50 ppm TWA: 270 mg/m <sup>3</sup>	TWA: 50 ppm TWA: 271 mg/m <sup>3</sup>	STEL: 100 ppm STEL: 540 mg/m <sup>3</sup> TWA: 50 ppm TWA: 270 mg/m <sup>3</sup>	STEL: 100 ppm STEL: 540 mg/m <sup>3</sup> TWA: 50 ppm TWA: 270 mg/m <sup>3</sup>	STEL: 100 ppm STEL: 540 mg/m <sup>3</sup> TWA: 50 ppm TWA: 270 mg/m <sup>3</sup>

Chemical Name	Austria	Belgium	Denmark	European Union.	Finland	France
2-METHYLBUTYL ACETATE 624-41-9	STEL: 100 ppm STEL: 540 mg/m <sup>3</sup> TWA: 50 ppm TWA: 270 mg/m <sup>3</sup>	STEL: 100 ppm STEL: 540 mg/m <sup>3</sup> TWA: 50 ppm TWA: 270 mg/m <sup>3</sup>	TWA: 50 ppm TWA: 271 mg/m <sup>3</sup>	N.D.	STEL: 100 ppm STEL: 540 mg/m <sup>3</sup> TWA: 50 ppm TWA: 270 mg/m <sup>3</sup>	N.D.
D-limonene 5989-27-5	N.D.	N.D.	N.D.	N.D.	STEL: 50 ppm STEL: 280 mg/m <sup>3</sup> TWA: 25 ppm TWA: 140 mg/m <sup>3</sup>	N.D.
Ethyl Acetate 141-78-6	STEL: 400 ppm STEL: 1468 mg/m <sup>3</sup> TWA: 200 ppm TWA: 734 mg/m <sup>3</sup>	STEL: 400 ppm STEL: 1468 mg/m <sup>3</sup> TWA: 200 ppm TWA: 734 mg/m <sup>3</sup>	TWA: 150 ppm TWA: 540 mg/m <sup>3</sup>	STEL: 1468 mg/m <sup>3</sup> STEL: 400 ppm TWA: 734 mg/m <sup>3</sup> TWA: 200 ppm	STEL: 400 ppm STEL: 1470 mg/m <sup>3</sup> TWA: 200 ppm TWA: 730 mg/m <sup>3</sup>	STEL: 400 ppm STEL: 1468 mg/m <sup>3</sup> TWA: 200 ppm TWA: 734 mg/m <sup>3</sup>
Chemical Name	Germany	Iceland	Ireland	Italy	Luxembourg	Netherlands
Distillates, petroleum, hydrotreated light 64742-47-8	STEL: 20 mg/m <sup>3</sup> STEL: 100 ppm STEL: 700 mg/m <sup>3</sup> TWA: 5 mg/m <sup>3</sup> TWA: 50 ppm TWA: 350 mg/m <sup>3</sup>	N.D.	N.D.	N.D.	N.D.	N.D.
BENZALDEHYD E 100-52-7	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
AMYL ACETATE 628-63-7	STEL: 50 ppm STEL: 270 mg/m <sup>3</sup> TWA: 50 ppm TWA: 270 mg/m <sup>3</sup>	STEL: 100 ppm STEL: 540 mg/m <sup>3</sup> TWA: 50 ppm TWA: 270 mg/m <sup>3</sup>	STEL: 100 ppm STEL: 540 mg/m <sup>3</sup> TWA: 50 ppm TWA: 270 mg/m <sup>3</sup>	STEL: 100 ppm STEL: 540 mg/m <sup>3</sup> TWA: 50 ppm TWA: 270 mg/m <sup>3</sup>	STEL: 100 ppm STEL: 540 mg/m <sup>3</sup> TWA: 50 ppm TWA: 270 mg/m <sup>3</sup>	STEL: 530 mg/m <sup>3</sup>
2-METHYLBUTYL ACETATE 624-41-9	STEL: 50 ppm STEL: 270 mg/m <sup>3</sup> TWA: 50 ppm TWA: 270 mg/m <sup>3</sup>	STEL: 540 mg/m <sup>3</sup> STEL: 100 ppm TWA: 50 ppm TWA: 270 mg/m <sup>3</sup>	N.D.	N.D.	N.D.	STEL: 530 mg/m <sup>3</sup>
D-limonene 5989-27-5	STEL: 20 ppm STEL: 112 mg/m <sup>3</sup> TWA: 5 ppm TWA: 28 mg/m <sup>3</sup>	N.D.	N.D.	N.D.	N.D.	N.D.
Ethyl Acetate 141-78-6	STEL: 400 ppm STEL: 1500 mg/m <sup>3</sup> TWA: 200 ppm TWA: 750 mg/m <sup>3</sup>	TWA: 150 ppm TWA: 540 mg/m <sup>3</sup>	STEL: 1468 mg/m <sup>3</sup> STEL: 400 ppm TWA: 734 mg/m <sup>3</sup> TWA: 200 ppm	STEL: 1468 mg/m <sup>3</sup> STEL: 400 ppm TWA: 734 mg/m <sup>3</sup> TWA: 200 ppm	STEL: 1468 mg/m <sup>3</sup> STEL: 400 ppm TWA: 734 mg/m <sup>3</sup> TWA: 200 ppm	STEL: 1468 mg/m <sup>3</sup> TWA: 734 mg/m <sup>3</sup>
Chemical Name	Norway	Portugal	Spain	Sweden	Switzerland	United Kingdom
Distillates, petroleum, hydrotreated light 64742-47-8	N.D.	N.D.	N.D.	N.D.	STEL: 100 ppm STEL: 700 mg/m <sup>3</sup> TWA: 50 ppm TWA: 350 mg/m <sup>3</sup> TWA: 5 mg/m <sup>3</sup>	N.D.
BENZALDEHYD E 100-52-7	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
AMYL ACETATE 628-63-7	STEL: 75 ppm STEL: 325 mg/m <sup>3</sup> TWA: 50 ppm TWA: 260 mg/m <sup>3</sup>	STEL: 100 ppm STEL: 540 mg/m <sup>3</sup> TWA: 50 ppm TWA: 270 mg/m <sup>3</sup>	STEL: 100 ppm STEL: 540 mg/m <sup>3</sup> TWA: 50 ppm TWA: 270 mg/m <sup>3</sup>	STEL: 100 ppm STEL: 540 mg/m <sup>3</sup> TWA: 50 ppm TWA: 270 mg/m <sup>3</sup>	N.D.	N.D.
2-METHYLBUTYL ACETATE 624-41-9	N.D.	STEL: 100 ppm TWA: 50 ppm	STEL: 100 ppm STEL: 540 mg/m <sup>3</sup> TWA: 50 ppm TWA: 270 mg/m <sup>3</sup>	STEL: 100 ppm STEL: 540 mg/m <sup>3</sup> TWA: 50 ppm TWA: 270 mg/m <sup>3</sup>	N.D.	N.D.

Chemical Name	Norway	Portugal	Spain	Sweden	Switzerland	United Kingdom
D-limonene 5989-27-5	STEL: 37.5 ppm STEL: 175 mg/ m3 TWA: 25 ppm TWA: 140 mg/m3	N.D.	TWA: 30 ppm TWA: 168 mg/m3	N.D.	STEL: 14 ppm STEL: 80 mg/m3 TWA: 7 ppm TWA: 40 mg/m3	N.D.
Ethyl Acetate 141-78-6	STEL: 400 ppm STEL: 1468 mg/ m3 TWA: 200 ppm TWA: 734 mg/m3	STEL: 1468 mg/ m3 STEL: 400 ppm TWA: 200 ppm TWA: 734 mg/m3	STEL: 400 ppm STEL: 1468 mg/ m3 TWA: 200 ppm TWA: 734 mg/m3	STEL: 300 ppm STEL: 1100 mg/ m3 TWA: 150 ppm TWA: 550 mg/m3	STEL: 400 ppm STEL: 1460 mg/ m3 TWA: 200 ppm TWA: 730 mg/m3	STEL: 1468 mg/ m3 STEL: 400 ppm TWA: 734 mg/m3 TWA: 200 ppm

TWA: Time weighted average

STEL: Short term exposure limit.

**Derived No Effect Level (DNEL)**

No Information Available

**Predicted No Effect Concentration (PNEC)**

No Information Available

**8.2. Exposure controls****Engineering Measures.**

Showers, eyewash stations, and ventilation systems.

**Personal protective equipment.****Eye/Face Protection.**

Safety glasses with side-shields.

**Skin and body protection.**

Wear suitable protective clothing.

No Information

**Respiratory protection.**

In case of insufficient ventilation wear suitable respiratory equipment.

**Environmental Exposure Controls.**

No Information

**SECTION 9: Physical and chemical properties****9.1. Information on basic physical and chemical properties**

<b>Physical state</b>	Liquid
<b>Appearance</b>	transparent
<b>Colour</b>	Colorless
<b>Odour</b>	Cherry
<b>Odour Threshold</b>	No Information
<b>pH</b>	No Information
<b>Melting Point, °C</b>	No Information
<b>Flash Point, °C</b>	68
<b>Boiling Range, °C</b>	77 - 575
<b>Combustibility</b>	Does not Support Combustion
<b>Vapor Pressure, mmHg</b>	No Information
<b>Vapor density</b>	No Information
<b>Specific Gravity (g/cm3)</b>	0.790
<b>Solubility in water</b>	Insoluble in water
<b>Partition Coefficient, n-octanol/water</b>	No Information
<b>Auto-Ignition Temperature, °C</b>	No Information
<b>Decomposition temperature, °C</b>	No Information
<b>Viscosity</b>	No Information

**9.2. Other information**

Volatile organic compounds (VOC) content. No Information

**9.2.1. Information with regard to physical hazard classes**

No Information

**9.2.2. Other safety characteristics**

No Information

**SECTION 10: Stability and reactivity****10.1. Reactivity**

Stable under normal conditions.

**10.2. Chemical stability**

Stable under recommended storage conditions.

**10.3. Possibility of hazardous reactions**

None known based on information supplied.

**10.4. Conditions to avoid**

Strong oxidizing agents.

**10.5. Incompatible materials**

None known based on information supplied.

**10.6. Hazardous decomposition products**Carbon dioxide (CO<sub>2</sub>), carbon monoxide (CO), oxides of nitrogen (NO<sub>x</sub>), dense black smoke.**SECTION 11: Toxicological information****11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008****Acute toxicity.**

Based on available data, the classification criteria are not met.

**Product Information**

The product itself has not been tested

Data on individual components are tabulated below

The following values are calculated based on chapter 3.1 of the GHS document.

ATEmix (oral) &gt;5000 mg/kg

ATEmix (dermal) &gt;5000 mg/kg

CAS-No.	Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
64742-47-8	Distillates, petroleum, hydrotreated light	N.R.	N.R.	N.R.
100-52-7	BENZALDEHYDE	1292 mg/kg Rat	>1250 mg/kg Rabbit	N.R.
628-63-7	AMYL ACETATE	6500 mg/kg Rat	N.R.	N.R.
624-41-9	2-METHYLBUTYL ACETATE	N.R.	N.R.	N.R.
5989-27-5	D-limonene	5200 mg/kg, 4400 mg/kg Rat	>5000 mg/kg Rabbit	N.R.
141-78-6	Ethyl Acetate	5620 mg/kg Rat	>18000 mg/kg Rabbit	N.R.

**Skin corrosion/irritation.**

SKIN IRRITANT.

**Aspiration hazard.**

Aspiration hazard if swallowed - can enter lungs and cause damage.

**11.2. Information on other hazards****Endocrine disrupting properties**

N.A.

**Other information.**

N.A.

## SECTION 12: Ecological information

### 12.1. Toxicity

<1% of the mixture consists of component(s) of unknown hazards to the aquatic environment

#### Ecotoxicity effects.

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to daphnia.
Distillates, petroleum, hydrotreated light 64742-47-8	N.D.	LC50 96 h Pimephales promelas 45 mg/L, LC50 96 h Lepomis macrochirus 2.2 mg/L, LC50 96 h Oncorhynchus mykiss 2.4 mg/L	N.D.
BENZALDEHYDE 100-52-7	N.D.	LC50 96 h Oncorhynchus mykiss 10.6 - 11.8 mg/L, LC50 96 h Oncorhynchus mykiss 12.69 mg/L, LC50 96 h Lepomis macrochirus 0.8 - 1.44 mg/L, LC50 96 h Pimephales promelas 6.8 - 8.53 mg/L, LC50 96 h Lepomis macrochirus 7.5 mg/L	N.D.
AMYL ACETATE 628-63-7	N.D.	LC50 96 h Lepomis macrochirus 650 mg/L	N.D.
2-METHYLBUTYL ACETATE 624-41-9	N.D.	N.D.	N.D.
D-limonene 5989-27-5	N.D.	LC50 96 h Pimephales promelas 0.619 - 0.796 mg/L, LC50 96 h Oncorhynchus mykiss 35 mg/L	N.D.
Ethyl Acetate 141-78-6	N.D.	LC50 96 h Pimephales promelas 220 - 250 mg/L, LC50 96 h Oncorhynchus mykiss 484 mg/L, LC50 96 h Oncorhynchus mykiss 352 - 500 mg/L	EC50 48 h Daphnia magna 560 mg/L

### 12.2. Persistence and degradability

No data are available on the product itself

### 12.3. Bioaccumulative potential

Discharge into the environment must be avoided.

CAS-No.	Chemical Name	Bio. Conc. Factor (BCF)	Octanol-water par. Coeff (KOW)
64742-47-8	Distillates, petroleum, hydrotreated light	61 - 159 (species: fish)	N.I.
100-52-7	BENZALDEHYDE	N.I.	1.4
628-63-7	AMYL ACETATE	N.I.	N.I.
624-41-9	2-METHYLBUTYL ACETATE	N.I.	N.I.
5989-27-5	D-limonene	N.I.	4.38
141-78-6	Ethyl Acetate	30 (species: fish)	0.73

### 12.4. Mobility in soil

#### Mobility in soil.

No information available

### 12.5. Results of PBT and vPvB assessment

No data are available on the product itself

### 12.6. Endocrine disrupting properties

No information available

### 12.7. Other adverse effects

No information available



## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

#### Waste from residues / unused products.

Disposal should be in accordance with applicable regional, national and local laws and regulations.

#### Contaminated packaging.

No Information

#### Other information.

According to the European Waste Catalogue, Waste Codes are not product specific, but application specific.

## SECTION 14: Transport information

### ADR

14.1. UN number or ID number	No Information
14.2. UN proper shipping name	Not Regulated
14.3. Transport hazard class(es)	No Information
14.4. Packing group	No Information
14.5. Environmental hazards	No.
14.6. Special precautions for user	No Information

### IMDG

14.1. UN number or ID number	No Information
14.2. UN proper shipping name	Not Regulated
14.3. Transport hazard class(es)	No Information
14.4. Packing group	No Information
14.5 Marine Pollutant	No.
Environmental hazards	No.
14.6. Special precautions for user	No Information
14.7. Maritime transport in bulk according to IMO instruments	No Information

### IATA

14.1. UN number or ID number	No Information
14.2. UN proper shipping name	Not Regulated
14.3. Transport hazard class(es)	No Information
14.4. Packing group	No Information
14.5. Environmental hazards	No.
14.6. Special precautions for user	No Information

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### National regulatory information.

Germany WGK Classification                      3

French table of occupational diseases

CAS-No.	Chemical Name	French table of occupational diseases
64742-47-8	Distillates, petroleum, hydrotreated light	RG 84
628-63-7	AMYL ACETATE	RG 84

624-41-9	2-METHYLBUTYL ACETATE	RG 84
5989-27-5	D-limonene	RG 84
141-78-6	Ethyl Acetate	RG 84

**European Union.**

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

**Persistent Organic Pollutants**

Not applicable

**Authorizations and/or restrictions on use:**

CAS-No.	Chemical Name	Substance subject to authorization per REACH Annex XIV	Restricted substance per REACH Annex XVII
5989-27-5	D-limonene	No.	Yes.
141-78-6	Ethyl Acetate	No.	Yes.

**EU Substances of Very High Concern**

None

**International Inventories.**

<b>TSCA</b>	Complies
<b>DSL</b>	Complies
<b>EINECS/ELINCS</b>	Complies
<b>ENCS</b>	-
<b>IECSC</b>	Complies
<b>KECI</b>	Complies
<b>PICCS</b>	Complies
<b>AIIC</b>	Complies
<b>NZIoC</b>	Complies

<b>TSCA</b>	United States Toxic Substances Control Act Section 8(b) Inventory.
<b>DSL</b>	Canadian Domestic Substances List.
<b>EINECS/ELINCS</b>	European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances.
<b>ENCS</b>	Japan Existing and New Chemical Substances.
<b>IECSC</b>	China Inventory of Existing Chemical Substances.
<b>KECL</b>	Korean Existing and Evaluated Chemical Substances.
<b>PICCS</b>	Philippines Inventory of Chemicals and Chemical Substances.
<b>AIIC</b>	Australian Inventory of Industrial Chemicals.
<b>NZIoC</b>	New Zealand Inventory of Chemicals.

**15.2. Chemical safety assessment**

No.

**SECTION 16: Other information**

<b>Revision Date</b>	3/22/2023
<b>Indication of changes:</b>	Commission Regulation (EU) 2020/878: amending Annex II by introducing specific requirements regarding nanoforms of substances, adapting to the 6th and 7th revision of the GHS, and adding requirements regarding the Unique Formula Identifier (as set by Annex VIII to Regulation (EC) 1272/2008), endocrine disrupting properties, specific concentration limits, M-factors and acute toxicity estimates.

**Legend.**

N.D.	No data available.
N.I.	No information available.
N.A.	Not Applicable.
N.R.	Not relevant.

This safety datasheet complies with the requirements of Regulation (EC) No. 2020/878

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

