Version: 49



# **Safety Data Sheet**

Revision Date: 6/28/2023

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product identifier. 113949 | Product name. Red X It

UFI K1SF-C0VW-F00K-VHX1

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use. Spot Cleaner

Uses advised against. Professional Use Only

1.3. Details of the supplier of the safety data sheet

Legend Brands Supplier.

15180 Josh Wilson Road Burlington, WA 98233

E-Mail: sds@legendbrands.com

800-932-3030

Legend Brands Europe

22 Plover Close Interchange Park Newport Pagnell MK069PS UK

+44 (0) 1908 611211

Rust-Oleum Europe Kolenbergstraat 23 3545 Halen, Belgium +32 (013) 460 200

INFOTRAC 1-800-535-5053 (North America) 1.4. Emergency telephone

+1-352-323-3500 (International) number

Europe 112

Austria +43 1 406 43 43

Belgium Poison center (BE): +32 70 245 245

Denmark Poison Control Hotline (DK): +45 82 12 12 12 **Finland** Poison Information Centre (FI):+358 9 471 977

**France** ORFILA (FR): + 01 45 42 59 59

Germany Poison Center Berlin (DE): +49 030 30686 790 |par Poison Center Nord: +49 551 19240

(24h available English / German)

National Poisons Information Centre (IE): +353 1 8379964 / + 353 1 8092566 Ireland

Iceland +354 543 2222

Poison Center, Milan (IT): +39 02 6610 1029 Italy

Luxembourg

National Poisons Information Center (NL): +31 88 755 8000 (NB: this service is only **Netherlands** 

available to health professionals)

Poisons Information (NO):+ 47 22 591300 Norway

**Portugal** Poison Information Center (PT): +351 800 250 250 Spain Poison Information Service (ES): +34 91 562 04 20 Sweden Poisons Information Center (SV):+46 8 33 12 31 Poison Center: Tel 145; +41 44 251 51 51 Switzerland

111 / 0300 020 0155 **United Kingdom** 

# **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

Serious Eye Damage, category 1 Skin Irritation, category 2

#### 2.2. Label elements



#### Signal Word

Danger

#### Hazardous ingredients which must be listed on the label

Contains

SODIUM METABISULFITE

#### **Possible Hazards**

< 1% of the mixture consists of ingredient(s) of unknown acute dermal toxicity

#### **GHS HAZARD STATEMENTS**

EUH031 Contact with acids liberates toxic gas.

H318 Causes serious eye damage.

H315 Causes skin irritation.

#### **GHS LABEL PRECAUTIONARY STATEMENTS**

P264 Wash face, hands and any exposed skin thoroughly after handling.
P280 Wear protective gloves, protective clothing, eye protection, face protection.

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing.

P310 Immediately call a POISON CENTER or doctor or physician.
P362+P364 Take off contaminated clothing and wash it before reuse.

#### **GHS SDS PRECAUTIONARY STATEMENTS**

P321 Specific treatment (If applicable, see any additional instructions on the label).

P332+P313 If skin irritation occurs: Get medical advice/attention.

#### 2.3. Other hazards

**EMERGENCY OVERVIEW: No Information** 

# **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

This product is a mixture. Health hazard information is based on its components.

#### 3.2. Mixtures

Chemical Name	CAS-No.	EC No.	REACH Reg No.	Wt. %
SODIUM METABISULFITE	7681-57-4	231-673-0	No Information	>=10 - <20
Sodium hydroxide	1310-73-2	215-185-5	01-2119457892-27- XXXX	>=1 - <3
Dipropylene glycol monomethyl ether	34590-94-8	252-104-2	01-2119450011-60- XXXX	>=0.5 - <1.5

Chemical Name	Classification (1272/2008/EC)	Specific Conc. Limits, M-factors and ATEs
SODIUM METABISULFITE	Acute Tox. 4 Oral (H302) Eye Dam. 1 (H318)	ATE oral (mg/kg): 1310 mg/kg Rat ATE dermal (mg/kg): N.R. ATE inhalation - vapor (mg/l/4h): N.R. ATE inhalation - dust/mist (mg/l/4h): N.R.

Sodium hydroxide	Acute Tox. 4 Dermal (H312) Skin Corr. 1A (H314)	Eye Irrit. 2; H319: 0.5%<=C<2% Skin Corr. 1A; H314: C>=5% Skin Corr. 1B; H314: 2%<=C<5% Skin Irrit. 2; H315: 0.5%<=C<2%  ATE oral (mg/kg): N.R. ATE dermal (mg/kg): 1350 mg/kg Rabbit ATE inhalation - vapor (mg/l/4h): N.R. ATE inhalation - dust/mist (mg/l/4h): N.R.
Dipropylene glycol monomethyl ether	Not classified	ATE oral (mg/kg): 5400 uL/kg ATE dermal (mg/kg): 9500 mg/kg Rabbit ATE inhalation - vapor (mg/l/4h): N.R. ATE inhalation - dust/mist (mg/l/4h): N.R.

For the full text of the H-Statements mentioned in this Section, see Section 16

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

#### General advice.

Call a physician if irritation develops or persists. When symptoms persist or in all cases of doubt seek medical advice.

#### Inhalation.

Move to fresh air.

#### Skin contact.

Wash off immediately with soap and plenty of water. Remove all contaminated clothes and shoes.

#### Eye contact.

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Remove contact lenses, if present.

#### Ingestion.

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Gently wipe or rinse the inside of the mouth with water.

# 4.2. Most important symptoms and effects, both acute and delayed

Symptoms.

See Section 2.2, Label Elements and/or Section 11, Toxicological effects.

# 4.3. Indication of any immediate medical attention and special treatment needed Notes to physician.

Treat symptomatically.

## SECTION 5: Firefighting measures

## 5.1. Extinguishing media

#### Suitable extinguishing media.

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

# Extinguishing media which shall not be used for safety reasons.

High volume water jet.

# 5.2. Special hazards arising from the substance or mixture

No information available.

#### 5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

Use personal protection recommended in Section 8.

As in any fire, wear self-contained breathing apparatus and full protective gear.

# **SECTION 6: Accidental release measures**

# 6.1. Personal precautions, protective equipment and emergency procedures Personal precautions.

Avoid contact with skin, eyes and clothing. Ensure adequate ventilation, especially in confined areas. Do not breathe vapors or spray mist.

#### Advice for emergency responders.

Use personal protection recommended in Section 8.

#### 6.2. Environmental precautions

Prevent product from entering drains. See Section 12 for additional Ecological information.

# 6.3. Methods and material for containment and cleaning up

**Methods for Containment.** 

Prevent further leakage or spillage if safe to do so. Pick up and transfer to properly labeled containers.

# Methods for cleaning up.

Use personal protective equipment as required.

#### Other information.

No Information

#### 6.4. Reference to other sections

No Information

# **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

#### Advice on safe handling.

Handle in accordance with good industrial hygiene and safety practice.

#### Hygiene measures.

See section 7 for more information.

# 7.2. Conditions for safe storage, including any incompatibilities Storage Conditions.

Keep containers tightly closed in a cool, well-ventilated place.

# 7.3. Specific end use(s)

Specific use(s).

No Information

#### Exposure scenario.

No Information Available

# **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

#### **Exposure Limit Values**

Chemical Name	Austria	Belgium	Denmark	European Union.	Finland	France
SODIUM	N.D.	TWA: 5 mg/m3	TWA: 5 mg/m3	N.D.	N.D.	TWA: 5 mg/m3
METABISULFITE						
7681-57-4	CTEL: 4 mag st/mg 2	ND	ND	ND	ND	T\\\\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
Sodium hydroxide	STEL: 4 mg/m3 TWA: 2 mg/m3	N.D.	N.D.	N.D.	N.D.	TWA: 2 mg/m3
1310-73-2	, and the second					
Dipropylene	STEL: 100 ppm	TWA: 50 ppm	TWA: 50 ppm	TWA: 50 ppm	TWA: 50 ppm	TWA: 50 ppm
glycol	STEL: 614 mg/	TWA: 308 mg/m3	TWA: 309 mg/m3	TWA: 308 mg/m3	TWA: 310 mg/m3	TWA: 308 mg/m3
monomethyl	m3					
ether	TWA: 50 ppm					
34590-94-8	TWA: 307 mg/m3					
04030-34-0	1117 ti dar mg/me					
Chemical Name	Germany	Iceland	Ireland	Italy	Luxembourg	Netherlands
		Iceland TWA: 5 mg/m3	Ireland STEL: 15 mg/m3	<b>Italy</b> N.D.	Luxembourg N.D.	Netherlands N.D.
Chemical Name SODIUM METABISULFITE	Germany			,		
Chemical Name SODIUM METABISULFITE 7681-57-4	<b>Germany</b> N.D.	TWA: 5 mg/m3	STEL: 15 mg/m3 TWA: 5 mg/m3	N.D.	N.D.	N.D.
Chemical Name SODIUM METABISULFITE 7681-57-4 Sodium	Germany		STEL: 15 mg/m3	,		
Chemical Name SODIUM METABISULFITE 7681-57-4 Sodium hydroxide	<b>Germany</b> N.D.	TWA: 5 mg/m3	STEL: 15 mg/m3 TWA: 5 mg/m3	N.D.	N.D.	N.D.
SODIUM METABISULFITE 7681-57-4 Sodium hydroxide 1310-73-2	Germany N.D. N.D.	TWA: 5 mg/m3	STEL: 15 mg/m3 TWA: 5 mg/m3 STEL: 2 mg/m3	N.D.	N.D.	N.D.
Chemical Name SODIUM METABISULFITE 7681-57-4 Sodium hydroxide 1310-73-2 Dipropylene	Germany N.D. N.D. STEL: 50 ppm	TWA: 5 mg/m3  STEL: 2 mg/m3  TWA: 50 ppm	STEL: 15 mg/m3 TWA: 5 mg/m3 STEL: 2 mg/m3	N.D.  N.D.  TWA: 50 ppm	N.D.  N.D.  TWA: 308 mg/m3	N.D.
Chemical Name SODIUM METABISULFITE 7681-57-4 Sodium hydroxide 1310-73-2 Dipropylene glycol	Germany N.D.  N.D.  STEL: 50 ppm STEL: 310 mg/	TWA: 5 mg/m3	STEL: 15 mg/m3 TWA: 5 mg/m3 STEL: 2 mg/m3 STEL: 150 ppm STEL: 924 mg/	N.D.	N.D.	N.D.
Chemical Name SODIUM METABISULFITE 7681-57-4 Sodium hydroxide 1310-73-2 Dipropylene glycol monomethyl	N.D.  N.D.  STEL: 50 ppm STEL: 310 mg/ m3	TWA: 5 mg/m3  STEL: 2 mg/m3  TWA: 50 ppm	STEL: 15 mg/m3 TWA: 5 mg/m3 STEL: 2 mg/m3 STEL: 150 ppm STEL: 924 mg/ m3	N.D.  N.D.  TWA: 50 ppm	N.D.  N.D.  TWA: 308 mg/m3	N.D.
Chemical Name SODIUM METABISULFITE 7681-57-4 Sodium hydroxide 1310-73-2 Dipropylene glycol	Germany N.D.  N.D.  STEL: 50 ppm STEL: 310 mg/	TWA: 5 mg/m3  STEL: 2 mg/m3  TWA: 50 ppm	STEL: 15 mg/m3 TWA: 5 mg/m3 STEL: 2 mg/m3 STEL: 150 ppm STEL: 924 mg/	N.D.  N.D.  TWA: 50 ppm	N.D.  N.D.  TWA: 308 mg/m3	N.D.

Chemical Name	Norway	Portugal	Spain	Sweden	Switzerland	United Kingdom
SODIUM METABISULFITE 7681-57-4	STEL: 10 mg/m3 TWA: 5 mg/m3	TWA: 5 mg/m3	TWA: 5 mg/m3	N.D.	TWA: 5 mg/m3	STEL: 15 mg/m3 TWA: 5 mg/m3
Sodium hydroxide 1310-73-2	N.D.	N.D.	STEL: 2 mg/m3	STEL: 2 mg/m3 TWA: 1 mg/m3	STEL: 2 mg/m3 TWA: 2 mg/m3	STEL: 2 mg/m3
Dipropylene glycol monomethyl ether 34590-94-8	STEL: 75 ppm STEL: 375 mg/ m3 TWA: 50 ppm TWA: 300 mg/m3	STEL: 150 ppm TWA: 50 ppm TWA: 308 mg/m3	TWA: 50 ppm TWA: 308 mg/m3	STEL: 75 ppm STEL: 450 mg/ m3 TWA: 50 ppm TWA: 300 mg/m3	STEL: 50 ppm STEL: 300 mg/ m3 TWA: 50 ppm TWA: 300 mg/m3	STEL: 150 ppm STEL: 924 mg/ m3 TWA: 50 ppm TWA: 308 mg/m3

TWA: Time weighted average STEL: Short term exposure limit.

# **Derived No Effect Level (DNEL)**

No Information Available

## **Predicted No Effect Concentration (PNEC)**

No Information Available

#### 8.2. Exposure controls

#### **Engineering Measures.**

Showers, eyewash stations, and ventilation systems.

#### Personal protective equipment.

## Eye/Face Protection.

Safety glasses with side-shields.

#### Skin and body protection.

Wear suitable protective clothing.

No Information

# Respiratory protection.

In case of insufficient ventilation wear suitable respiratory equipment.

#### **Environmental Exposure Controls.**

No Information

# **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical stateLiquidAppearanceClearColourColorlessOdourAmmonia-sulfurOdour ThresholdNo InformationpH7.0 - 8.2Melting Point, °CNo Information

Flash Point, °C >94
Boiling Range, °C 100 - 1,461

Combustibility Does not Support Combustion

Vapor Pressure, mmHgNo InformationVapor densityNo Information

Specific Gravity (g/cm3)

Solubility in water

Partition Coefficient, n-octanol/water

Auto-Ignition Temperature, °C

Decomposition temperature, °C

Viscosity

No Information

No Information

No Information

#### 9.2. Other information

Volatile organic compounds (VOC) content.

#### 9.2.1. Information with regard to physical hazard classes

No Information

#### 9.2.2. Other safety characteristics

No Information

# **SECTION 10: Stability and reactivity**

1.0%

## 10.1. Reactivity

Stable under normal conditions.

# 10.2. Chemical stability

Stable under recommended storage conditions.

#### 10.3. Possibility of hazardous reactions

None known based on information supplied.

#### 10.4. Conditions to avoid

None known.

### 10.5. Incompatible materials

None known based on information supplied.

#### 10.6. Hazardous decomposition products

None known.

# **SECTION 11: Toxicological information**

# 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity.

Based on available data, the classification criteria are not met.

# **Product Information**

The product itself has not been tested

Data on individual components are tabulated below

#### The following values are calculated based on chapter 3.1 of the GHS document.

ATEmix (oral) >5000 mg/kg
ATEmix (dermal) >5000 mg/kg

CAS-No.	Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
7681-57-4	SODIUM METABISULFITE	1310 mg/kg Rat	N.R.	N.R.
1310-73-2	Sodium hydroxide	N.R.	1350 mg/kg Rabbit	N.R.
34590-94-8	Dipropylene glycol monomethyl ether	5400 uL/kg	9500 mg/kg Rabbit	N.R.

## Skin corrosion/irritation.

SKIN IRRITANT.

# 11.2. Information on other hazards

**Endocrine disrupting properties** 

N.A.

Other information.

N.A.

Product name.: 113949

# **SECTION 12: Ecological information**

# 12.1. Toxicity

<1% of the mixture consists of components(s) of unknown hazards to the aquatic environment **Ecotoxicity effects.** 

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to daphnia.
SODIUM METABISULFITE 7681-57-4	EC50 72 h Desmodesmus subspicatus 48 mg/L, EC50 96 h Desmodesmus subspicatus 40 mg/L	LC50 96 h Lepomis macrochirus 32 mg/L	N.D.
Sodium hydroxide 1310-73-2	N.D.	LC50 96 h Oncorhynchus mykiss 45.4 mg/L	N.D.
Dipropylene glycol monomethyl ether 34590-94-8	N.D.	LC50 96 h Pimephales promelas >10000 mg/L	LC50 48 h Daphnia magna 1919 mg/L

# 12.2. Persistence and degradability

No data are available on the product itself

#### 12.3. Bioaccumulative potential

Discharge into the environment must be avoided.

CAS-No.	Chemical Name	Bio. Conc. Factor (BCF)	Octanol-water par. Coeff (KOW)
7681-57-4	SODIUM METABISULFITE	N.I.	-3.7
1310-73-2	Sodium hydroxide	N.I.	N.I.
34590-94-8	Dipropylene glycol monomethyl ether	N.I.	0.35

# 12.4. Mobility in soil

Mobility in soil.

No information available

#### 12.5. Results of PBT and vPvB assessment

No data are available on the product itself

#### 12.6. Endocrine disrupting properties

No information available

#### 12.7. Other adverse effects

No information available

# **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

#### Waste from residues / unused products.

Disposal should be in accordance with applicable regional, national and local laws and regulations.

#### Contaminated packaging.

No Information

#### Other information.

According to the European Waste Catalogue, Waste Codes are not product specific, but application specific.

# **SECTION 14: Transport information**

#### **ADR**

14.1. UN number or ID number	No Information
14.2. UN proper shipping name	Not Regulated
14.3. Transport hazard class(es)	No Information
14.4. Packing group	No Information
14.5. Environmental hazards	No

14.6. Special precautions for user

No Information

#### **IMDG**

14.1. UN number or ID numberNo Information14.2. UN proper shipping nameNot Regulated14.3. Transport hazard class(es)No Information14.4. Packing groupNo Information

14.5 Marine Pollutant No.

Environmental hazards No.

14.6. Special precautions for user

No Information

14.7. Maritime transport in bulk according to

IMO instruments

No Information

#### **IATA**

14.1. UN number or ID numberNo Information14.2. UN proper shipping nameNot Regulated14.3. Transport hazard class(es)No Information14.4. Packing groupNo Information

14.5. Environmental hazards No.

14.6. Special precautions for user No Information

# **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulatory information.

Germany WGK Classification
French table of occupational diseases

CAS-No.	Chemical Name	French table of occupational diseases
7681-57-4	SODIUM METABISULFITE	RG 66
34590-94-8	Dipropylene glycol monomethyl ether	RG 84

#### European Union.

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

# **Persistent Organic Pollutants**

Not applicable

#### Authorizations and/or restrictions on use:

CAS-No.		Substance subject to authorization per REACH Annex XIV	Restricted substance per REACH Annex XVII
7681-57-4	SODIUM METABISULFITE	No.	Yes.
1310-73-2	Sodium hydroxide	No.	Yes.

#### **EU Substances of Very High Concern**

None

#### International Inventories.

TSCA DSL EINECS/ELINCS ENCS -

TSCA United States Toxic Substances Control Act Section 8(b) Inventory.

**DSL** Canadian Domestic Substances List.

EINECS/ELINCS European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances.

ENCSJapan Existing and New Chemical Substances.IECSCChina Inventory of Existing Chemical Substances.KECLKorean Existing and Evaluated Chemical Substances.

PICCS Philippines Inventory of Chemicals and Chemical Substances.

AllC Australian Inventory of Industrial Chemicals.

NZIoC New Zealand Inventory of Chemicals.

#### 15.2. Chemical safety assessment

No.

# **SECTION 16: Other information**

Revision Date 6/28/2023

Indication of changes: Commission Regulation (EU) 2020/878: amending Annex II by introducing specific

requirements regarding nanoforms of substances, adapting to the 6th and 7th revision of the GHS, and adding requirements regarding the Unique Formula Identifier (as set by Annex VIII to Regulation (EC) 1272/2008), endocrine disrupting properties, specific concentration limits,

M-factors and acute toxicity estimates.

# Legend.

N.D.	No data available.
N.I.	No information available.
N.A.	Not Applicable.
N.R.	Not relevant.

This safety datasheet complies with the requirements of Regulation (EC) No. 2020/878

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.