



Safety Data Sheet

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier.

Product identifier. 100504 |
Product name. odorx 9D9
Pure substance/mixture. No Information

1.2 Relevant identified uses of the substance or mixture and uses advised against.

Recommended Use. Professional Deodorizer
Uses advised against. Professional Use Only

1.3 Details of the supplier of the safety data sheet.

Supplier. Legend Brands
15180 Josh Wilson Road
Burlington, WA 98233
E-Mail: sds@legendbrands.com
800-932-3030

Legend Brands Europe
22 Plover Close Interchange Park
Newport Pagnell MK069PS UK
+44 (0) 1908 611211

1.4 Emergency telephone number. INFOTRAC 1-800-535-5053 (North America)
+1-352-323-3500 (International)

Europe	112
Bulgaria	+359 2 9154 409
Cyprus	+357 22405609
Croatia	+385 1 234 8342
Czech Republic	+420 267 225 243
Estonia	112
Greece	+30 210 64 79 407
Hungary	+36 80 20 11 99
Latvia	+371 67032028
Lithuania	+3705 212 6094
Malta	112
Poland	Poison Control and Information Centre, Warsaw (PL): +48 22 619 66 54 +48 22 619 08 97
Romania	+40 21 207 11 06
Slovenia	+386 1 478 6051
Slovakia	+421 2 54 77 4 166

2. Hazards Identification

2.1 Classification of the substance or mixture. (Regulation (EC) No 1272/2008)

Allergic effects
Hazardous to the aquatic environment, Chronic, category 3
Serious Eye Damage, category 1
Flammable Liquid, category 3

2.2 Label elements.



Signal Word

Danger

Hazardous components which must be listed on the label

ALCOHOLS, C12-15, ETHOXYLATED

Possible Hazards

1.9% of the mixture consists of ingredients of unknown acute toxicity

1.9% of the mixture consists of ingredient(s) of unknown acute inhalation toxicity

HAZARD STATEMENTS

EUH208	Contains D-limonene. May produce an allergic reaction.
H226	Flammable liquid and vapor.
H412	Harmful to aquatic life with long lasting effects.
H318	Causes serious eye damage.

LABEL PRECAUTIONARY STATEMENTS

P403+P235	Store in a well-ventilated place. Keep cool.
-----------	--

PRECAUTIONARY STATEMENTS

P210	Keep away from heat. - No smoking.
P233	Keep container tightly closed.
P240	Ground/Bond container and receiving equipment.
P241	Use explosion-proof electrical/ ventilating/ lighting/ equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection
P303+P361+P353	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER or doctor/physician.
P370+P378	In case of fire: Use carbon dioxide to extinguish.
P501	Dispose of contents/ container to an approved waste disposal plant.

2.3 Other hazards

EMERGENCY OVERVIEW: No Information

3. Composition/Information on Ingredients**3.1 Substances.**

This product is a mixture. Health hazard information is based on its components.

3.2 Mixtures.

CAS-No.	EC No.	REACH Reg No.	Wt. %	Chemical Name	Classification (1272/2008/EC)
68131-39-5	No Information	No Information	10-25	ALCOHOLS, C12-15, ETHOXYLATED	Acute Tox. 4 Oral (H302) Eye Dam. 1 (H318) Aquatic Acute 1 (H400)
67-63-0	200-661-7	01-2119457558-25-xxxx	10-25	Isopropyl alcohol	Flam. Liq. 2 (H225) Eye Irrit. 2A (H319) STOT SE 3 NE (H336)
25265-71-8	246-770-3	No Information	10-25	DIPROPYLENE GLYCOL	No information
107-41-5	203-489-0	No Information	2.5-10	2,4-PENTANEDIOL, 2-METHYL-	Skin Irrit. 2 (H315) Eye Irrit. 2A (H319) Acute Tox. 1 Inhalation (H330)
2050-08-0	218-080-2	No Information	1.0-2.5	AMYL SALICYLATE	No information
119-36-8	204-317-7	No Information	1.0-2.5	methyl salicylate	Acute Tox. 4 Oral (H302)
91-64-5	202-086-7	No Information	< 1.0	COUMARIN	Acute Tox. 3 Dermal (H311)
5989-27-5	227-813-5	No Information	< 1.0	D-limonene	Flam. Liq. 3 (H226) Skin Irrit. 2 (H315) Skin Sens. 1 (H317) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)
99-86-5	No Information	No Information	< 1.0	1,3-Cyclohexadiene, 1-methyl-4-(1-methylethyl)-	No information

For the full text of the H-Statements mentioned in this Section, see Section 16.

4. First-aid Measures

4.1 Description of first-aid measures.

General advice.

Call a physician if irritation develops or persists. Show this safety data sheet to the doctor in attendance. When symptoms persist or in all cases of doubt seek medical advice.

Inhalation.

Move to fresh air. If symptoms persist, call a physician. If not breathing, give artificial respiration.

Skin contact.

If skin irritation persists, call a physician. Wash off immediately with soap and plenty of water. Remove all contaminated clothes and shoes.

Eye contact.

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Call a physician if irritation develops or persists. Remove contact lenses, if present.

Ingestion.

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a physician immediately. Gently wipe or rinse the inside of the mouth with water.

4.2 Most important symptoms and effects, both acute and delayed.

Symptoms

See Section 2.2, Label Elements and/or Section 11, Toxicological effects.

4.3 Indication of any immediate medical attention and special treatment needed.

Notes to physician

Treat symptomatically.

5. Fire-fighting Measures

5.1 Extinguishing media.

Suitable extinguishing media.

Water spray. Foam. Dry powder. Dry chemical. Alcohol-resistant foam. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Carbon dioxide (CO₂).

No Information

Extinguishing media which shall not be used for safety reasons.

High volume water jet.

5.2 Special hazards arising from the substance or mixture.

Flash back possible over considerable distance. Hazardous decomposition products formed under fire conditions.

5.3 Advice for firefighters.

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

Remove all sources of ignition. Use personal protection recommended in Section 8.

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures.

Personal precautions.

Avoid contact with skin, eyes and clothing. Ensure adequate ventilation, especially in confined areas. Do not breathe vapors or spray mist.

Advice for emergency responders.

Remove all sources of ignition. Use personal protection recommended in Section 8.

6.2 Environmental precautions.

Prevent further leakage or spillage if safe to do so. Do not allow material to contaminate ground water system. Prevent product from entering drains. See Section 12 for additional Ecological information.

6.3 Methods and materials for containment and cleaning up.

Methods for Containment.

Prevent further leakage or spillage if safe to do so. Pick up and transfer to properly labeled containers. Use personal protective equipment. Remove all sources of ignition.

Methods for cleaning up.

Use personal protective equipment as required.

6.4 Reference to other sections

See section 8 for more information.

7. Handling and Storage

7.1 Precautions for safe handling.

Advice on safe handling.

Handle in accordance with good industrial hygiene and safety practice. Keep away from sources of ignition - No smoking.

Hygiene measures.

See section 7 for more information.

7.2 Conditions for safe storage, including any incompatibilities.

Storage Conditions.

Keep containers tightly closed in a cool, well-ventilated place. Store in original container.

7.3 Specific end use(s)

Specific use(s)

No Information

Exposure scenario

No Information Available

8. Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Limit Values

Chemical Name	Bulgaria	Croatia	Cyprus	Czech Republic	Estonia	European Union
Isopropyl alcohol 67-63-0	STEL: 1225.0 mg/m ³ TWA: 980.0 mg/ m ³	STEL: 500 ppm STEL: 1250 mg/ m ³ TWA: 400 ppm TWA: 999 mg/m ³			STEL: 250 ppm STEL: 600 mg/ m ³ TWA: 150 ppm TWA: 350 mg/m ³	
2,4- PENTANEDIOL, 2-METHYL- 107-41-5		STEL: 25 ppm STEL: 123 mg/ m ³ TWA: 25 ppm TWA: 123 mg/m ³				
Chemical Name	Greece	Hungary	Latvia	Lithuania	Malta	Ukraine
Isopropyl alcohol 67-63-0	STEL: 500 ppm STEL: 1225 mg/ m ³ TWA: 400 ppm TWA: 980 mg/m ³	STEL: 1000 mg/ m ³ TWA: 500 mg/m ³	STEL: 600 mg/ m ³ TWA: 350 mg/m ³	STEL: 250 ppm STEL: 600 mg/ m ³ TWA: 150 ppm TWA: 350 mg/m ³		
2,4- PENTANEDIOL, 2-METHYL- 107-41-5	STEL: 25 ppm STEL: 125 mg/ m ³ TWA: 25 ppm TWA: 125 mg/m ³					
Chemical Name	Poland	Romania	Russia	Slovenia	Turkey	
Isopropyl alcohol 67-63-0	STEL: 1200 mg/ m ³ TWA: 900 mg/m ³	STEL: 203 ppm STEL: 500 mg/ m ³ TWA: 81 ppm TWA: 200 mg/m ³	STEL: 50 mg/m ³ TWA: 10 mg/m ³	STEL: 400 ppm STEL: 1000 mg/ m ³ TWA: 200 ppm TWA: 500 mg/m ³		
DIPROPYLENE GLYCOL 25265-71-8				STEL: 200 mg/ m ³ TWA: 100 mg/m ³		

Chemical Name	Poland	Romania	Russia	Slovenia	Turkey	
2,4-PENTANEDIOL, 2-METHYL-107-41-5	STEL: 100 mg/m ³ TWA: 50 mg/m ³					
D-limonene 5989-27-5				STEL: 20 ppm STEL: 112 mg/m ³ TWA: 28 mg/m ³ TWA: 5 ppm		

TWA: Time weighted average
STEL: Short term exposure limit

Derived No Effect Level (DNEL)

No Information Available

Predicted No Effect Level (PNEC)

No Information Available

8.2. Exposure controls.

Engineering Measures.

Showers, eyewash stations, and ventilation systems.

Personal protective equipment.

Eye/Face Protection.

Safety glasses with side-shields.

Hand Protection.

Wear suitable protective clothing.

Skin and body protection.

No Information

Respiratory protection.

In case of insufficient ventilation wear suitable respiratory equipment.

Hygiene measures.

See section 7 for more information.

Environmental Exposure Controls.

No Information

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties.

Physical state	Liquid
Appearance	No Information
Colour	No Information
Odour	Wintergreen
Odour Threshold	No Information
pH	7.7
Melting point / freezing point (°C)	No Information
Flash Point, (°C)	27
Boiling point/range (°C)	108 - 302
Evaporation rate	No Information Available
Combustibility	Does not Support Combustion
Upper/lower flammability or explosive limits	No Information
Vapour Pressure	4.3
Vapour density	No Information
Specific Gravity (g/cm ³)	0.970
Solubility in / Miscibility with Water	No Information
Partition Coefficient: n-octanol/water	No Information

Auto-Ignition Temperature (°C)	No Information
Decomposition temperature (°C)	No Information
Viscosity	No Information
Oxidising properties	Not Applicable

9.2 Other information.

Volatile Organic Compounds (VOC) content	210
--	-----

(See section 16 for abbreviation legend)

10. Stability and Reactivity

10.1 Reactivity.

Stable under normal conditions.

10.2 Chemical stability.

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions.

None known based on information supplied.

10.4 Conditions to Avoid.

Strong oxidizing agents.

10.5 Incompatible Materials.

None known based on information supplied.

10.6 Hazardous Decomposition Products.Carbon dioxide (CO₂), carbon monoxide (CO), oxides of nitrogen (NO_x), dense black smoke.

11. Toxicological Information

11.1 Information on toxicological effects**Acute Toxicity****Product Information**

LD50 Oral 3,502.00	LD50 Dermal 18,139.00	LC50 Inhalation 320.70
------------------------------	---------------------------------	----------------------------------

The following values are calculated based on chapter 3.1 Of the GHS document

ATEmix (oral)	3,502.0 mg/kg
ATEmix (dermal)	18,139.0 mg/kg
ATEmix (inhalation - vapor)	320.70 mg/l

<u>CAS-No.</u>	<u>Chemical Name</u>	<u>LD50 Oral</u>	<u>LD50 Dermal</u>	<u>LC50 Inhalation</u>
68131-39-5	ALCOHOLS, C12-15, ETHOXYLATED	1600 mg/kg Rat	2500 mg/kg Rabbit	22 mg/l
67-63-0	Isopropyl alcohol	5840 mg/kg (Rat)	13,900 mg/kg (Rabbit)	N.I.
107-41-5	2,4-PENTANEDIOL, 2-METHYL-	3700 mg/kg Rat	12300 mg/kg Rabbit	>.3 mg/L Rat
2050-08-0	AMYL SALICYLATE	4100 mg/kg Rat	>5000 mg/kg Rabbit	N.I.
119-36-8	methyl salicylate	890 mg/kg - rat	5005 mg/kg	N.I.
5989-27-5	D-limonene	5200 mg/kg, 4400 mg/kg Rat	>5000 mg/kg Rabbit	N.I.
91-64-5	COUMARIN	>5000 mg/kg Rat	293 mg/kg Rat	N.I.
99-86-5	1,3-Cyclohexadiene, 1-methyl-4-(1-methylethyl)-	1680 mg/kg Rat	N.I.	N.I.

N.I. = No Information

Skin corrosion/irritation.

SKIN IRRITANT.

12. Ecological Information

12.1 Toxicity

41.07% of the mixture consists of ingredient(s) of unknown aquatic toxicity

Ecotoxicity Effects

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to daphnia and other aquatic invertebrates
Isopropyl alcohol 67-63-0	EC50 96 h <i>Desmodesmus subspicatus</i> >1000 mg/L, EC50 72 h <i>Desmodesmus subspicatus</i> >1000 mg/L	LC50 96 h <i>Pimephales promelas</i> 9640 mg/L, LC50 96 h <i>Pimephales promelas</i> 11130 mg/L, LC50 96 h <i>Lepomis macrochirus</i> >1400000 µg/L	EC50 48 h <i>Daphnia magna</i> 13299 mg/L
2,4-PENTANEDIOL, 2-METHYL- 107-41-5	-	LC50 96 h <i>Pimephales promelas</i> 10500 - 11000 mg/L, LC50 96 h <i>Lepomis macrochirus</i> 10000 mg/L, LC50 96 h <i>Pimephales promelas</i> 8690 mg/L, LC50 96 h <i>Pimephales promelas</i> 10700 mg/L	EC50 48 h <i>Daphnia magna</i> 2700 - 3700 mg/L
acetophenone 98-86-2	-	LC50 96 h <i>Pimephales promelas</i> 162 mg/L, LC50 96 h <i>Pimephales promelas</i> 155 mg/L	-
Isobornyl acetate 125-12-2	-	LC50 96 h <i>Brachydanio rerio</i> 10.0 - 18.0 mg/L	-
D-limonene 5989-27-5	-	LC50 96 h <i>Pimephales promelas</i> 0.619 - 0.796 mg/L, LC50 96 h <i>Oncorhynchus mykiss</i> 35 mg/L	-
Vanillin 121-33-5	-	LC50 96 h <i>Pimephales promelas</i> 53 - 61.3 mg/L, LC50 96 h <i>Pimephales promelas</i> 88 mg/L, LC50 96 h <i>Pimephales promelas</i> 57 mg/L	-
Terpinolene 586-62-9	-	LC50 96 h <i>Danio rerio</i> 0.805 mg/L	-

12.2. Persistence and degradability.

No data are available on the product itself

12.3. Bioaccumulative potential.

Discharge into the environment must be avoided.

<u>CAS-No.</u>	<u>Chemical Name</u>	<u>Bio. Conc. Factor (BCF)</u>	<u>Octanol-water par. Coeff (KOW)</u>
67-63-0	Isopropyl alcohol	N.I.	0.05
25265-71-8	DIPROPYLENE GLYCOL	0.3 - 1.4	N.I.
107-41-5	2,4-PENTANEDIOL, 2-METHYL-	N.I.	<0.14
119-36-8	methyl salicylate	N.I.	2.55

12.4 Mobility in soil.

Mobility in soil.

No information available

Mobility

No information available

12.5 Results of PBT and vPvB assessment.

No data are available on the product itself

12.6 Other adverse effects.

No information available

13. Disposal Considerations

13.1 Waste treatment methods.

Waste from residues /unused products

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated packaging

No Information

Other information

According to the European Waste Catalogue, Waste Codes are not product specific, but application specific.

14. Transport Information

ADR

14.1 UN number:	1993
14.2 Proper shipping name:	Limited Quantity
14.3 Hazard class(es):	No Information
14.4 Packing group:	III
14.5 Environmental hazards:	No Information
14.6 Special provisions:	No Information

IMDG

14.1 UN number:	1993
14.2 Proper shipping name:	Flammable Liquid, N.O.S. (Isopropanol)
14.3 Hazard class(es):	3
14.4 Packing group:	III
14.5 Marine pollutant:	No Information
Environmental hazards:	No Information
14.6 Special provisions:	No Information
14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code:	No Information

IATA

14.1 UN number:	1993
14.2 Proper shipping name:	No Information
14.3 Hazard class(es):	No Information
14.4 Packing group:	No Information
14.5 Environmental hazards:	No Information
14.6 Special provisions:	No Information

15. Regulatory Information

15.1 Safety, health and environmental regulations/legislation for the substance or mixture:

National regulatory information

German WGK classification: 3

Remarks: WGK 0 = in general not a water pollutant
 WGK 1 = weak water pollutant
 WGK 2 = water pollutant
 WGK 3 = severe water pollutant

CAS/Chemical Name

French RG number Title

67-63-0	Isopropyl alcohol	RG 84	Diseases caused by liquid organic solvents for professional use. Health effects caused by professional use of liquid organic solvents (indicated in the table). Gastrointestinal disorders caused by benzene, toluene, xylenes and all products containing them
107-41-5	2,4-PENTANEDIOL, 2-METHYL-	RG 84	Diseases caused by liquid organic solvents for professional use. Health effects caused by professional use of liquid organic solvents (indicated in the table). Gastrointestinal disorders caused by benzene, toluene, xylenes and all products containing them
98-86-2	acetophenone	RG 84	Diseases caused by liquid organic solvents for professional use. Health effects caused by professional use of liquid organic solvents (indicated in the table). Gastrointestinal disorders caused by benzene, toluene, xylenes and all products containing them
5989-27-5	D-limonene	RG 84	Diseases caused by liquid organic solvents for professional use. Health effects caused by professional use of liquid organic solvents (indicated in the table). Gastrointestinal disorders caused by benzene, toluene, xylenes and all products containing them

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Persistent Organic Pollutants

Not applicable

Authorizations (Annex XIV) and/or restrictions on use (Annex XVII), Regulation (CE) 1907/2006

<u>CAS-No.</u>	<u>Chemical Name</u>	<u>Annex XIV Authorisation List</u>	<u>Annex XVII Restricted list</u>
	Not applicable		

EU Substances of Very High Concern

<u>CAS-No.</u>	<u>Chemical Name</u>
	No items on this list exist.

International Inventories

TSCA	Complies
DSL	Complies
EINECS/ELINCS	-
ENCS	Complies
IECSC	Complies
KECI	

	-
PICCS	Complies
AICS	Complies
NZIoC	Complies
TSCA	United States Toxic Substances Control Act Section 8(b) Inventory.
DSL	Canadian Domestic Substances List.
EINECS/ELINCS	European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances.
ENCS	Japan Existing and New Chemical Substances.
IECSC	China Inventory of Existing Chemical Substances.
KECL	Korean Existing and Evaluated Chemical Substances.
PICCS	Philippines Inventory of Chemicals and Chemical Substances.
AICS	Australian Inventory of Chemical Substances.
NZIoC	New Zealand Inventory of Chemicals.

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

16. Other Information

Revision Date	5/21/2021	Supersedes Date	New MSDS
Reason for revision	No Information		

Text for GHS Hazard Statements shown in Section 3 describing each ingredient:

H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapor.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H336	May cause drowsiness or dizziness.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Legend: N.A. - Not Applicable, N.E. - Not Established, N.D. - Not Determined

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006