

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name 9D9
Pure substance/mixture Mixture

1.2 Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Professional Deodorizer

1.3 Details of the supplier of the safety data sheet

Supplier Legend Brands Europe
ProRestore Products
22 Plover Close Interchange Park
Newport Pagnell MK16 9PS, UK
+44 (0) 1908 611211

For further information, please contact: ehs@prorestoreproducts.com

1.4 Emergency telephone number

Emergency telephone number INFOTRAC 1-800-535-5053 (North America)
1-352-323-3500 (International)

Europe	112
Austria	+43 1 406 43 43
Belgium	Poison center (BE): +32 70 245 245
Denmark	Poison Control Hotline (DK): +45 82 12 12 12
Finland	Poison Information Centre (FI):+358 9 471 977
France	ORFILA (FR): + 01 45 42 59 59
Germany	Poison Center Berlin (DE): +49 030 30686 790 Poison Center Nord: +49 551 19240 (24h available English / German)
Ireland	National Poisons Information Centre (IE): +353 1 8379964 / + 353 1 8092566
Iceland	+354 543 2222
Italy	Poison Center, Milan (IT): +39 02 6610 1029
Luxembourg	112
Netherlands	National Poisons Information Center (NL): +31 30 274 88 88 (NB: this service is only available to health professionals)
Norway	Poisons Information (NO):+ 47 22 591300
Portugal	Poison Information Center (PT): +351 21 330 3284
Spain	Poison Information Service (ES): +34 91 562 04 20
Sweden	Poisons Information Center (SV):+46 8 33 12 31
Switzerland	Poison Center: Tel 145; +41 44 251 51 51
United Kingdom	111

2. Hazards identification

2.1 Classification of the substance or mixture

REGULATION (EC) No 1272/2008

Serious eye damage/eye irritation	Category 2 - (H319)
Flammable liquids	Category 3 - (H226)

2.2 Label elements



Signal Word

Warning

Hazard Statements

H319 - Causes serious eye irritation

H226 - Flammable liquid and vapor Contains 2,6-OCTADIENAL, 3,7-DIMETHYL-

Precautionary Statements - EU (§28, 1272/2008)

P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking

2.3. Other Hazards

No information available

3. Composition/information on ingredients

3.1 Substances

This product is a mixture. Health hazard information is based on its components.

3.2 Mixtures

Chemical Name	EC-No	CAS-No	Weight %	Classification (1272/2008/EC)	REACH Registration Number
Isopropyl alcohol	200-661-7	67-63-0	10 - 25	Eye Irrit. 2 (H319) STOT SE 3 (H336) Flam. Liq. 2 (H225)	01-2119457558-25-xx xx
DIPROPYLENE GLYCOL	246-770-3	25265-71-8	10 - 25	no data available	no data available
2,4-PENTANEDIOL, 2-METHYL-	203-489-0	107-41-5	2.5 - 10	Skin Irrit. 2 (H315) Eye Irrit. 2 (H319)	no data available
POLY(OXY-1,2-ETHANEDIYL) _n , A-HYDRO-O-HYDROXY-	-	25322-68-3	< 1	NA	no data available
acetophenone	202-708-7	98-86-2	< 1	Acute Tox. 4 (H302) Eye Irrit. 2 (H319)	no data available
2,6-OCTADIENAL, 3,7-DIMETHYL-	226-394-6	5392-40-5	< 1	Skin Irrit. 2 (H315) Skin Sens. 1 (H317)	no data available
1,4-DIOXANE	204-661-8	123-91-1	< 0.1	Eye Irrit. 2 (H319) Carc. 2 (H351) STOT SE 3 (H335) Flam. Liq. 2 (H225) (EUH066) (EUH019)	no data available

For the full text of the H-Statements mentioned in this Section, see Section 16

4. First Aid Measures

4.1 Description of first-aid measures

General advice	Show this safety data sheet to the doctor in attendance. When symptoms persist or in all cases of doubt seek medical advice.
Inhalation	Immediate medical attention is required. Move to fresh air. If not breathing, give artificial respiration.
Skin contact	Wash off immediately with soap and plenty of water. Remove all contaminated clothes and shoes. Use a mild soap if available. Call a physician if irritation develops or persists. If skin irritation persists, call a physician.
Eye contact	Remove contact lenses, if present. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Call a physician if irritation develops or persists.
Ingestion	Gently wipe or rinse the inside of the mouth with water. Give small amounts of water to drink. Never give anything by mouth to an unconscious person. Get medical attention immediately.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms No information available.

4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician Treat symptomatically.

5. Fire-Fighting Measures

5.1 Extinguishing media

Suitable extinguishing media

Water spray, Carbon dioxide (CO₂), Dry powder, Alcohol-resistant foam.

Extinguishing media which shall not be used for safety reasons

No information available.

5.2 Special hazards arising from the substance or mixture

Hazardous decomposition products formed under fire conditions. Flash back possible over considerable distance.

5.3 Advice for firefighters

In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions

Use personal protective equipment. Remove all sources of ignition. Ensure adequate ventilation, especially in confined areas. Avoid contact with skin, eyes and clothing. Do not breathe vapors or spray mist.

Advice for emergency responders

For personal protection see section 8.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. Do not allow material to contaminate ground water system. See Section 12 for additional Ecological information.

6.3 Methods and materials for containment and cleaning up

Methods for Containment

Prevent further leakage or spillage if safe to do so.

Methods for cleaning up

Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13). Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Electrical equipment should be protected to the appropriate standard.

6.4 Reference to other sections

See section 8 for more information.

7. Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Wear personal protective equipment. Avoid contact with skin, eyes and clothing. Do not breathe vapors or spray mist. Vapors may form explosive mixtures with air. Prevent the creation of flammable or explosive concentrations of vapor in air and avoid vapor concentration higher than the occupational exposure limits. Mixture may charge electrostatically: always use earthing leads when transferring from one container to another. Keep away from sources of ignition - No smoking.

Hygiene measures

When using, do not eat, drink or smoke. Wash hands before breaks and at the end of workday. Remove and wash contaminated clothing before re-use.

7.2 Conditions for safe storage, including any incompatibilities

Storage Conditions

Use only in area provided with appropriate exhaust ventilation. Keep locked up or in an area accessible only to qualified or authorized persons. Use only explosion-proof equipment. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Electrical equipment should be protected to the appropriate standard. Store between 41 and 77 °F (5 - 25° C) in a dry, well ventilated place away from sources of heat, ignition and direct sunlight. Store in original container.

7.3 Specific end uses

Specific use(s)

No information available

Exposure scenario

No information available.

8. Exposure controls/personal protection

8.1 Control parameters

Exposure Limit Values

Chemical Name	European Union	Austria	Belgium	Denmark	Finland	France
Isopropyl alcohol 67-63-0		STEL 800 ppm STEL 2000 mg/m ³ TWA: 200 ppm TWA: 500 mg/m ³	TWA: 200 ppm TWA: 500 mg/m ³ STEL: 400 ppm STEL: 1000 mg/m ³	TWA: 200 ppm TWA: 490 mg/m ³	TWA: 200 ppm TWA: 500 mg/m ³ STEL: 250 ppm STEL: 620 mg/m ³	STEL: 400 ppm STEL: 980 mg/m ³
2,4-PENTANEDIOL, 2-METHYL- 107-41-5		STEL 10 ppm STEL 49 mg/m ³ TWA: 10 ppm TWA: 49 mg/m ³ Ceiling 10 ppm Ceiling 49 mg/m ³	Maximum Limit Value: 25 ppm Maximum Limit Value: 123 mg/m ³	Ceiling: 25 ppm Ceiling: 125 mg/m ³	TWA: 25 ppm TWA: 120 mg/m ³ STEL: 40 ppm STEL: 200 mg/m ³	STEL: 25 ppm STEL: 125 mg/m ³
POLY(OXY-1,2-ETHA NEDIYL),		STEL 4000 mg/m ³ TWA: 1000 mg/m ³				

A-HYDRO-O-HYDROXY-25322-68-3						
acetophenone 98-86-2			TWA: 10 ppm TWA: 50 mg/m ³	TWA: 10 ppm TWA: 49 mg/m ³	TWA: 5 ppm TWA: 25 mg/m ³	
1,4-DIOXANE 123-91-1		Skin STEL 40 ppm STEL 146 mg/m ³ TWA: 20 ppm TWA: 73 mg/m ³	TWA: 20 ppm TWA: 73 mg/m ³ S*	TWA: 10 ppm TWA: 36 mg/m ³ Skin	TWA: 10 ppm TWA: 36 mg/m ³ STEL: 40 ppm STEL: 150 mg/m ³ Skin	TWA: 20 ppm TWA: 73 mg/m ³ STEL: 40 ppm STEL: 140 mg/m ³
Chemical Name	Germany	Iceland	Ireland	Italy	Luxembourg	The Netherlands
Isopropyl alcohol 67-63-0	TWA: 200 ppm TWA: 500 mg/m ³	TWA: 200 ppm TWA: 490 mg/m ³ S* Ceiling: 400 ppm Ceiling: 980 mg/m ³	TWA: 200 ppm STEL: 400 ppm Skin	STEL: 400 ppm STEL: 983 mg/m ³ TWA: 200 ppm TWA: 492 mg/m ³		
DIPROPYLENE GLYCOL 25265-71-8	TWA: 100 mg/m ³ Skin					
2,4-PENTANEDIOL, 2-METHYL-107-41-5	TWA: 10 ppm TWA: 49 mg/m ³	STEL: 25 ppm STEL: 125 mg/m ³	STEL: 25 ppm STEL: 125 mg/m ³			
POLY(OXY-1,2-ETHANEDIYL), A-HYDRO-O-HYDROXY-25322-68-3	TWA: 1000 mg/m ³					
acetophenone 98-86-2		TWA: 10 ppm TWA: 49 mg/m ³ Ceiling: 20 ppm Ceiling: 98 mg/m ³	TWA: 10 ppm TWA: 49 mg/m ³	TWA: 10 ppm TWA: 49 mg/m ³		
2,6-OCTADIENAL, 3,7-DIMETHYL-5392-40-5				TWA: 5 ppm TWA: 31 mg/m ³		
1,4-DIOXANE 123-91-1	TWA: 20 ppm TWA: 73 mg/m ³ Skin	TWA: 20 ppm TWA: 73 mg/m ³ S* Ceiling: 40 ppm Ceiling: 146 mg/m ³	TWA: 20 ppm TWA: 73 mg/m ³ STEL: 60 ppm STEL: 219 mg/m ³ Skin	TWA: 20 ppm TWA: 72 mg/m ³	TWA: 73 mg/m ³ TWA: 20 ppm	TWA: 20 mg/m ³
Chemical Name	Norway	Portugal	Spain	Sweden	Switzerland	The United Kingdom
Isopropyl alcohol 67-63-0	TWA: 100 ppm TWA: 245 mg/m ³ STEL: 150 ppm STEL: 306.25 mg/m ³	STEL: 400 ppm TWA: 200 ppm	STEL: 400 ppm STEL: 1000 mg/m ³ TWA: 200 ppm TWA: 500 mg/m ³	LLV: 150 ppm LLV: 350 mg/m ³ STV: 250 ppm STV: 600 mg/m ³	STEL: 400 ppm STEL: 1000 mg/m ³ TWA: 200 ppm TWA: 500 mg/m ³	STEL: 500 ppm STEL: 1250 mg/m ³ TWA: 400 ppm TWA: 999 mg/m ³
DIPROPYLENE GLYCOL 25265-71-8					STEL: 280 mg/m ³ TWA: 140 mg/m ³	
2,4-PENTANEDIOL, 2-METHYL-107-41-5	Ceiling: 20 ppm Ceiling: 100 mg/m ³	Ceiling: 25 ppm	STEL: 25 ppm STEL: 123 mg/m ³	CLV: 25 ppm CLV: 120 mg/m ³	STEL: 20 ppm STEL: 98 mg/m ³ TWA: 10 ppm TWA: 49 mg/m ³	STEL: 25 ppm STEL: 123 mg/m ³ TWA: 25 ppm TWA: 123 mg/m ³
POLY(OXY-1,2-ETHANEDIYL), A-HYDRO-O-HYDROXY-25322-68-3					TWA: 1000 mg/m ³	
acetophenone 98-86-2		TWA: 10 ppm	TWA: 10 ppm TWA: 50 mg/m ³			
2,6-OCTADIENAL, 3,7-DIMETHYL-5392-40-5			S* TWA: 5 ppm			
1,4-DIOXANE 123-91-1	TWA: 5 ppm TWA: 18 mg/m ³ Skin STEL: 10 ppm STEL: 36 mg/m ³	TWA: 20 ppm TWA: 73 mg/m ³	TWA: 20 ppm TWA: 73 mg/m ³	LLV: 10 ppm LLV: 35 mg/m ³ S* STV: 25 ppm STV: 90 mg/m ³	Skin STEL: 40 ppm STEL: 144 mg/m ³ TWA: 20 ppm TWA: 72 mg/m ³	STEL: 60 ppm STEL: 219 mg/m ³ TWA: 20 ppm TWA: 73 mg/m ³ Skin

TWA:

Time weighted average

STEL: Short term exposure limit
 LLV: Exposure Limit Values
 STV: Short Term Value

Derived No Effect Level (DNEL) No information available

Predicted No Effect Concentration (PNEC) No information available

8.2 Exposure controls

Engineering Measures Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Eye/Face Protection Safety glasses with side-shields.

Hand Protection Protective gloves.

Skin and body protection Long sleeved clothing. Rubber or plastic apron.

Respiratory protection Respirator with a vapor filter (EN 141).

Hygiene measures When using, do not eat, drink or smoke. Wash hands before breaks and at the end of workday. Remove and wash contaminated clothing before re-use.

Environmental Exposure Controls Prevent product from entering drains. Do not allow material to contaminate ground water system.

9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state Liquid
Appearance No information available
Color Amber
Odor Wintergreen oil
Odor Threshold No information available

<u>Property</u>	<u>Values</u>	<u>Remarks</u>
pH	7.7	
Melting/freezing point		No information available
Boiling point/boiling range	108 °C / 226 °F	
Flash Point	27 °C / 81 °F	
Evaporation rate		No information available
Flammability (solid, gas)		No information available
Flammability Limits in Air		
upper flammability limit		No information available
lower flammability limit		No information available
Upper explosion limit	12.7	
Lower explosion limit	2	
Vapor pressure	4.3	
Vapor density		No information available
Specific Gravity	.94	
Water solubility	Soluble in water	
Solubility in other solvents		No information available
Partition coefficient		No information available
Autoignition temperature		No information available
Decomposition temperature		No information available
Viscosity, kinematic	33	
Viscosity, dynamic		No information available
Explosive properties		No information available
Oxidizing Properties		No information available

9.2 Other information

Volatile organic compounds (VOC) content 210 g/L

10. Stability and Reactivity

10.1 Reactivity

No information available.

10.2 Chemical stability

Stable under recommended storage conditions Risk of ignition

10.3 Possibility of hazardous reactions

No information available.

10.4 Conditions to Avoid

Direct sources of heat.

10.5 Incompatible Materials

Strong oxidizing agents

10.6 Hazardous Decomposition Products

Carbon dioxide (CO₂), carbon monoxide (CO), oxides of nitrogen (NO_x), dense black smoke.

11. Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Product Information

The product itself has not been tested.

Inhalation	There are no data available for this product.
Eye contact	There are no data available for this product.
Skin contact	There are no data available for this product.
Ingestion	There are no data available for this product.

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	3,502.00 mg/kg
ATEmix (dermal)	12,408.00 mg/kg

Unknown Acute Toxicity

- 67.02822006% of the mixture consists of ingredient(s) of unknown toxicity
- 1.47852006 % of the mixture consists of ingredient(s) of unknown acute oral toxicity
- 31.60335006 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity
- 67.02822006 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)
- 67.02822006 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)
- 67.02822006 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

Component Information

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Polyethylene glycol octylphenyl ether	1700 mg/kg (Rat)		
Isopropyl alcohol	5840 mg/kg (Rat)	= 13,900 mg/kg (Rabbit)	= 72600 mg/m ³ (Rat) 4 h
2,4-PENTANEDIOL, 2-METHYL-	3692 mg/kg (Rat)		> 310 mg/m ³ (Rat) 1 h
BENZOIC ACID, 2-HYDROXY-, METHYL ESTER	887 mg/kg (Rat)	> 5000 mg/kg (Rabbit)	

Benzophenone	10 g/kg (Rat)	= 3535 mg/kg (Rabbit)	
2,6-OCTADIENAL, 3,7-DIMETHYL-	4950 mg/kg (Rat)	= 2250 mg/kg (Rabbit)	
1,4-DIOXANE	5170 mg/kg (Rat)	= 7600 µL/kg (Rabbit)	= 46 mg/L (Rat) 2 h

Skin corrosion/irritation	No information available.
Serious eye damage/eye irritation	No information available.
Respiratory or skin sensitization	No information available.
Germ cell mutagenicity	No information available.
Carcinogenicity	No information available.
Reproductive toxicity	No information available.
Specific target organ systemic toxicity (single exposure)	No information available.
Specific target organ systemic toxicity (repeated exposure)	No information available.
Target Organs	Eyes. Respiratory system. Skin. Central nervous system.
Aspiration hazard	No information available.

12. Ecological information

12.1 Toxicity

41.09054 % of the mixture consists of components(s) of unknown hazards to the aquatic environment

Ecotoxicity effects

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to daphnia and other aquatic invertebrates
Isopropyl alcohol	EC50: 96 h <i>Desmodesmus subspicatus</i> 1000 mg/L EC50: 72 h <i>Desmodesmus subspicatus</i> 1000 mg/L	LC50: 96 h <i>Pimephales promelas</i> 9640 mg/L flow-through LC50: 96 h <i>Pimephales promelas</i> 11130 mg/L static LC50: 96 h <i>Lepomis macrochirus</i> 1400000 µg/L	EC50: 48 h <i>Daphnia magna</i> 13299 mg/L
2,4-PENTANEDIOL, 2-METHYL-		LC50: 96 h <i>Pimephales promelas</i> 10500 - 11000 mg/L flow-through LC50: 96 h <i>Lepomis macrochirus</i> 10000 mg/L static LC50: 96 h <i>Pimephales promelas</i> 8690 mg/L flow-through LC50: 96 h <i>Pimephales promelas</i> 10700 mg/L static	EC50: 48 h <i>Daphnia magna</i> 2700 - 3700 mg/L
acetophenone		LC50: 96 h <i>Pimephales promelas</i> 162 mg/L flow-through LC50: 96 h <i>Pimephales promelas</i> 155 mg/L static	
2,6-OCTADIENAL, 3,7-DIMETHYL-	EC50: 72 h <i>Desmodesmus subspicatus</i> 16 mg/L EC50: 96 h <i>Desmodesmus subspicatus</i> 19 mg/L		EC50: 48 h <i>Daphnia magna</i> 7 mg/L
1,4-DIOXANE		LC50: 96 h <i>Lepomis macrochirus</i> 10000 mg/L static LC50: 96 h <i>Lepomis macrochirus</i> 10000 mg/L semi-static LC50: 96 h <i>Pimephales promelas</i> 9850 mg/L flow-through LC50: 96 h <i>Pimephales promelas</i>	EC50: 48 h water flea 163 mg/L Static

		10306 - 14742 mg/L static LC50: 96 h Pimephales promelas 9850 mg/L	
--	--	---	--

12.2 Persistence and degradability

No information available.

12.3 Bioaccumulative potential

May cause long-term adverse effects in the aquatic environment.

Chemical Name	log Pow
Isopropyl alcohol	0.05
2,4-PENTANEDIOL, 2-METHYL-	0.14
acetophenone	1.73
2,6-OCTADIENAL, 3,7-DIMETHYL-	2.76
1,4-DIOXANE	-0.42

12.4 Mobility in soil**Mobility in soil**

No information available.

Mobility

No information available.

12.5 Results of PBT and vPvB assessment

No information available.

12.6 Other adverse effects.

No information available.

13. Disposal Considerations

13.1 Waste treatment methods**Waste from residues / unused products**

If recycling is not practicable, dispose of in compliance with local regulations.

Contaminated packaging

Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not burn, or use a cutting torch on, the empty drum.

Other information

According to the European Waste Catalog, Waste Codes are not product specific, but application specific.

14. Transport Information

ADR

14.1 UN	Not regulated
14.2 Proper shipping name	Not regulated
14.3 Hazard class	Not regulated
14.4 Packing Group	Not regulated
14.5 Environmental hazard	Not applicable
14.6 Special Provisions	None

IMDG

14.1 UN	1993
14.2 Proper shipping name	Flammable Liquid, N.O.S. (Isopropanol)
14.3 Hazard class	3
14.4 Packing Group	III
14.5 Marine pollutant	This product contains a chemical which is listed as a marine pollutant according to IMDG/IMO
14.6 Special Provisions	None
14.7 Transport in bulk according to MARPOL 73/78 and the IBC Code	No information available

IATA

14.1 UN	1993
14.2 Proper shipping name	Flammable Liquid, N.O.S. (Isopropanol)
14.3 Hazard class	3
14.4 Packing Group	III
14.5 Environmental hazard	Not applicable
14.6 Special Provisions	None

15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulatory information

Germany

Chemical Name	French RG number	Title
Isopropyl alcohol 67-63-0	RG 84	-
2,4-PENTANEDIOL, 2-METHYL- 107-41-5	RG 84	-
acetophenone 98-86-2	RG 84	-
1,4-DIOXANE 123-91-1	RG 84	-

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Authorizations and/or restrictions on use:

This product does not contain substances subject to authorization (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

Persistent Organic Pollutants

Not applicable

International Inventories

TSCA	Complies
EINECS/ELINCS	Complies
DSL	Complies
PICCS	Complies
ENCS	-
IECSC	Complies
AICS	Complies
KECL	Complies

NZIoC -**Legend****EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances**DSL/NDL** - Canadian Domestic Substances List/Non-Domestic Substances List**PICCS** - Philippines Inventory of Chemicals and Chemical Substances**ENCS** - Japan Existing and New Chemical Substances**IECSC** - China Inventory of Existing Chemical Substances**AICS** - Australian Inventory of Chemical Substances**KECL** - Korean Existing and Evaluated Chemical Substances**NZIoC** - New Zealand Inventory of Chemicals**15.2 Chemical Safety Assessment**

No information available

16. Other information**Key or legend to abbreviations and acronyms used in the safety data sheet****Full text of H-Statements referred to under section 3**

H315 - Causes skin irritation

H319 - Causes serious eye irritation

H351 - Suspected of causing cancer if inhaled

H335 - May cause respiratory irritation

H225 - Highly flammable liquid and vapor

H317 - May cause an allergic skin reaction

H336 - May cause drowsiness or dizziness

H302 - Harmful if swallowed

EUH066 - Repeated exposure may cause skin dryness or cracking

EUH019 - May form explosive peroxides

Revision Date 09-May-2016**Revision Note** Not Applicable.

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of Safety Data Sheet